



05-30-03

1546

RECEIVED

JUN 03 2003

TECH CENTER 1600/2900

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Kranz et al.

Serial No. 10/015,536

Filed: December 10, 2001

For: MUTATED CLASS II MAJOR HISTOCOMPATIBILITY  
PROTEINS AND COMPLEXES

: Group Art Unit: 1646

: Examiner: Not yet assigned

: Confirmation No. 9971

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The Examiner is respectfully requested to consider the references, copies enclosed, which may qualify as prior art. For the Examiner's convenience, the references are listed on the attached Patent and Trademark Office form PTO-1449.

It is believed that this submission does not require the payment of any fees. If this is incorrect, however, please charge any requisite fees to Deposit Account No. 07-1969.

Respectfully submitted,

Donna M. Ferber  
Reg. Fee 33,878

GREENLEE, WINNER AND SULLIVAN, P.C.  
5370 Manhattan Circle, Suite 201  
Boulder, CO 80303  
Telephone (303) 499-8080  
Facsimile: (303) 499-8089  
Email: winner@greenwin.com

Attorney Docket No.: 103-00  
bmk: May 29, 2003

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as EXPRESS MAIL in 3 boxes addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22202.

Date 29 May 2003 B. Kroge  
Express Mail Receipts Nos: EV 319 246 454 US;  
EV 319 246 410 US; and EV 319 246 397 US.

Form PTO-1449

ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 14, 2001


APPLICANT Kranz et al.

GROUP 1646

RECEIVED

JUN 9 8 2003

TECH CENTER 1600/2900



## U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
Box 1	RE 35,500	05/06/97	Rhodes	424	1.49	
	3,817,837	06/18/74	Rubenstein et al.	195	103.5	
	3,850,752	11/26/74	Schuurs et al.	195	103.5	
	3,927,193	12/16/75	Hansen et al.	424	1	
	3,939,350	02/17/76	Kronick et al.	250	365	
	3,996,345	12/07/76	Ullman et al.	424	12	
	4,275,149	06/23/81	Litman et al.	435	7	
	4,277,437	07/07/81	Maggio	422	61	
	4,331,647	05/25/82	Goldenberg	424	1	
	4,348,376	09/07/82	Goldenberg	424	1	
	4,361,544	11/30/82	Goldenberg	424	1	
	4,366,241	12/28/82	Tom et al.	435	7	
	4,444,744	04/24/84	Goldenberg	424	1.1	
	4,468,457	08/28/84	Goldenberg et al.	435	69	
	4,640,561	02/03/87	George	339	17	
	4,713,332	12/15/87	Mak	435	70	
	4,831,122	05/16/89	Buchsbaum et al.	530	389	
	4,873,190	10/10/89	Saito et al.	435	172.3	
	4,874,845	10/17/89	Saito et al.	530	395	
	4,923,799	05/08/90	Mak	435	6	
	4,946,778	08/07/90	Ladner et al.	435	69.6	
	4,970,296	11/13/90	Saito et al.	530	323	
	5,013,650	05/07/91	Carty	435	69.1	
	5,024,940	06/18/91	Brenner et al.	435	69.1	
	5,059,413	10/22/91	Reardan et al.	424	4.1	

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED  
JUN 03 2003  
TECH CENTER 1600/2900

	5,101,827	04/07/92	Goldenberg	128	653.4	
	5,185,250	02/09/93	Brenner et al.	435	69.3	
	5,223,409	06/29/93	Ladner et al.	435	69.7	
	5,225,539	07/06/93	Winter	530	387.3	
	5,258,289	11/02/93	Davis	435	69.6	
	5,258,498	11/02/93	Huston et al.	530	350	
	5,260,203	11/09/93	Ladner et al.	435	172.3	
	5,299,253	03/29/94	Wessels	378	163	
	5,316,922	05/31/94	Brown	435	69.7	
	5,316,925	05/31/94	Davis et al.	435	91.2	
	5,340,921	08/23/94	Brenner et al.	530	350	
	5,348,867	09/20/94	Georgiou et al.	435	69.7	
	5,403,484	04/04/95	Ladner et al.	435	235.1	
	5,411,873	05/02/95	Adams	435	69.1	
	5,427,908	06/27/95	Dower	435	69.1	
	5,482,858	01/09/96	Huston et al.	435	252.33	
	5,510,240	04/23/96	Lam	435	7.1	
	5,571,698	11/05/96	Ladner	435	69.7	
	5,580,717	01/20/95	Dower	530	395	
	5,601,822	02/11/97	Brenner et al.	424	144.1	
	5,614,192	03/25/97	Vandenbark	424	185.1	
	5,624,817	04/29/97	Miller et al.	435	69.1	
	5,723,286	03/03/98	Dower et al.	435	5	
	5,723,309	03/03/98	Bonneville	435	69.1	
	5,723,323	03/03/98	Kauffman et al.	435	172.3	
	5,733,743	03/31/98	Johnson et al.	435	69.1	
	5,763,192	06/09/98	Kauffman et al.	435	7.1	
	5,763,733	06/09/98	Whitlow et al.	530	387.3	

Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001



APPLICANT Kranz et al.

GROUP 1646



	5,767,260	06/16/98	Whitlow et al.	536	23.4	
	5,780,225	07/14/98	Wigler et al.	435	6	
	5,789,208	08/04/98	Sharon	435	91.41	
Box 2	5,814,476	09/29/98	Kauffman et al.	435	69.1	
	5,817,483	10/06/98	Kauffman et al.	435	69.1	
	5,824,483	10/20/98	Houston, Jr., et al.	435	7.1	
	5,824,514	10/20/98	Kauffman et al.	435	91.1	
	5,837,477	11/17/98	Germain et al.	435	7.24	
	5,837,500	11/17/98	Ladner et al.	435	69.7	
	5,840,304	11/24/98	Davis et al.	424	192.1	
	5,858,657	01/12/99	Winter et al.	435	6	
	5,861,156	01/19/99	George et al.	426	135.1	
	5,866,344	02/02/99	Georgiou	435	7.21	
	5,869,620	02/09/99	Whitlow et al.	530	387.3	
	5,871,907	02/16/99	Winter et al.	435	6	
	5,871,974	02/16/99	Huse	435	69.7	
	5,882,945	03/16/99	Saito et al.	436	547	
	5,900,476	05/04/99	Ruggeri et al.	530	380	
	5,948,409	09/07/99	Germain et al.	424	193.1	
	5,969,108	10/19/99	McCafferty et al.	530	387.3	
	5,977,321	11/02/99	Saito et al.	530	388.75	
	5,989,808	11/12/99	Young et al.	435	6	
	6,027,910	02/22/00	Klis et al.	435	41	
	6,017,732	01/25/00	Jespers et al.	435	69.6	
	6,114,147	09/05/00	Frenken et al.	435	69.7	
	6,300,065 B1	10/9/01	Kieke et al.	435	6	

Form PTO-1449		
ATTY DOCKET NO. 103-00	SERIAL NO. 10/015,536	FILING DATE December 10, 2001
APPLICANT Kranz et al.		GROUP 1646



## FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	Subclass	Translation Yes/No
		WO94/18330	08.18.94	PCT	C12N	15/62	
		WO94/01567	20.01.94	PCT	C12N	15/62	
		WO98/49286	05.11.98	PCT	C12N	15/10	
		WO99/36569	22.07.99	PCT	C12Q	1/02	
		WO99/21572	06.05.99	PCT	A61K	38/00	
Box 3	/	WO99/58693	18.11.99	PCT	C12N	15/62	No
	/	WO01/48145	05.07.01	PCT	C12N		
	/	WO02/46399	13.06.02	PCT	C12N	15/10	
		0 436 597 B1	02.04.97	EP	C12N	15/00	

## OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

		Alam, SM et al. (Feb.1999), "Qualitative and Quantitative Differences in T-cell-Receptor Binding of Agonist and Antagonist Ligands;" <i>Immunity</i> <b>10</b> :227-237.
		Alam, SM et al. (1996), "T-cell-Receptor Affinity and Thymocyte Positive Selection;" <i>Nature</i> <b>381</b> :616-620.
		Alberti, S (1996), "A High Affinity T-Cell Receptor?;" <i>Immunol. Cell Biol.</i> <b>74</b> :292-297.
		Al-Ramadi, BK et al. (1995), "Lack of Strict Correlation of Functional Sensitation with the Apparent Affinity of MHC/Peptide Complexes for the TCR;" <i>J. Immunol.</i> <b>155</b> :662-673.
		Altschul, SF et al. (1997), "Gapped BLAST and PSI-BLAST: a New Generation of Protein Database Search Programs;" <i>Nucleic Acids Research</i> <b>25</b> (17):2278-3402.
		Beeson, C et al. (1996), "Early Biochemical Signals Arise from Low Affinity TCR-Ligand Reactions at the Cell-Cell Interface;" <i>J. Exp. Med.</i> <b>184</b> :777-782



Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

JUN 8 2003  
TECH CENTER 1600/2900

		Bellio, M et al. (1994), "The V $\beta$ Complementarity Determining Region 1 of a Major Histocompatibility Complex (MHC) Class 1-Restricted T-Cell Receptor is Involved in the Recognition of Peptide/MHC I and Superantigen/MHC Complex;" <i>J. Exp. Med.</i> <b>179</b> :1087-1089.
		Bentley, GA et al. (1996), "The Structure of the T-Cell Antigen Receptor;" <i>Annu. Rev. Immunol.</i> <b>14</b> :563-590.
		Bevan, MJ (1997), "In Thymic Selection, Peptide Diversity Gives and Takes Away;" <i>Immunity</i> <b>7</b> :175-178.
		Bird, RE et al. (1988), "Single-Chain Antigen-binding Proteins;" <i>Science</i> <b>242</b> :423-426.
		Bjorkman, PJ (1997), "MHC Restriction in Three Dimensions: A View of T-Cell Receptor/Ligand Interactions;" <i>Cell</i> <b>89</b> :167-170.
		Boder, ET et al. (2000), "Yeast Surface Display for Directed Evolution of Protein Expression, Affinity, and Stability;" <i>Methods Enzymol</i> <b>328</b> :430-444.
		Boder, ET et al. (Sept. 2000), "Directed Evolution of Antibody Fragments with Monovalent Femtomolar Antigen-Binding Affinity;" <i>Proc. Natl. Acad. Sci. USA</i> <b>97</b> (20):10701-10705.
		Boder, ET et al. (1998), "Optimal Screening of Surface-Displayed Polypeptide Libraries;" <i>Biotech. Progress</i> <b>14</b> (1):55-62.
		Boder, ET et al. (1997), "Yeast Surface Display for Screening Combinatorial Polypeptide Libraries;" <i>Nature Biotech.</i> <b>15</b> (6):553-557.
		Boder, ET et al. (1995), "A Yeast Surface Display System for <i>In Vitro</i> Affinity Maturation of Antibodies," Protein Interactions, June 1-4, 1995, Beckman Institute, University of Illinois, Urbana, (Abstract Only).
		Boniface, JJ et al. (Sept. 1999), "Thermodynamics of T-Cell Receptor Binding to Peptide-MHC: Evidence for a General Mechanism of Molecular Scanning;" <i>Proc. Natl. Acad. Sci. USA</i> <b>96</b> :11446-11451.
		Brodnicki, TC (1996), "Reactivity and Epitope Mapping of Single-Chain T-Cell Receptors with Monoclonal Antibodies;" <i>Mol. Immunol.</i> In Press.
		Buchwalder, A et al. (1994), "Immunochemical and Molecular Analysis of Antigen Binding to Lipid Anchored and Soluble Forms of an MHC Independent Human / T-Cell Receptor;" <i>Mol. Immunol.</i> <b>31</b> (11):857-872.
		Buckholz, RG et al. (1991), "Yeast Systems for the Commercial Production of Heterologous Proteins;" <i>Bio/Technol.</i> <b>9</b> :1067-1072.

Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



		Burrows, GC et al (1998), "Two-Domain MHC Class II molecules Form Stable Complexes with Myelin Basic Protein 69-89 Peptide That Detect and Inhibit Rat Encephalitogenic T Cells and Treat Experimental Autoimmune Encephalomyelitis;" <i>J. Immunol</i> <b>161</b> :5987-5996.
		Callan, MF et al. (1995), "Selection of T-Cell Receptor Variable Gene-Encoded Amino Acids on the Third Binding Site Loop: a Factor Influencing Variable Chain Selection in a T-Cell Response;" <i>Eur. J. Immunol.</i> <b>25</b> :1529-1534.
		Cho, BK et al. (1988), "A Yeast Surface Display System for the Discovery of Ligands that Trigger Cell Activation;" <i>J. Immunol Methods</i> (Netherlands) <b>220</b> :179-188.
		Cho, BK et al. (1995), "Characterization of a Single-Chain Antibody to the $\beta$ -Chain of the T-Cell Receptor;" <i>J. Biol. Chem.</i> <b>270</b> :25819-25826.
		Choi, Y et al. (1990), "Residues of the Variable Region of the T-Cell Receptor Chain that Interact with S. Aureus Toxin Superantigens;" <i>Nature</i> <b>346</b> :471-473.
		Chung, S et al. (1994), "Functional Three-Domain Single-Chain T-Cell Receptors;" <i>Proc. Natl. Acad. Sci. USA</i> <b>91</b> :12654-12658.
		Clackson, T et al. (1991), "Making Antibody Fragments Using Phage Display Libraries;" <i>Nature</i> <b>352</b> :624-628.
		Cochran, JR et al. (Sept. 2000), "A diverse set of oligomeric class II MHC-peptide complexes for probing T-cell receptor interactions;" <i>Chem. Biol.</i> <b>7</b> (9):683-696.
		Corr, M et al. (1994), "T-Cell Receptor-MHC Class I Peptide Interactions: Affinity, Kinetics, and Specificity;" <i>Science</i> <b>265</b> :946-949.
		Cregg, JM et al. (1993), "Recent Advances in the Expression of Foreign Genes in <i>Pichia Pastoris</i> ;" <i>Bio/Technol.</i> <b>11</b> :905-910.
		Dal Porto, J et al. (1993), "A Soluble Divalent Class I Major Histocompatibility Complex Molecule Inhibits Alloreactive T-Cells at Nanomolar Concentrations;" <i>Proc. Natl. Acad. Sci. USA</i> <b>90</b> :6671-6675.
		Daly, K et al. (1995), "Contributions of the TCR-Chain to the Differential Recognition of Bacterial and Retroviral Superantigens;" <i>J. Immunol.</i> <b>155</b> :27-34.
		Davis, MM et al. (1988), "T-Cell Antigen Receptor Genes and T-Cell Recognition;" <i>Nature</i> <b>334</b> :395-402.
		Davis et al. (1998), "Ligand Recognition by T-Cell Receptors;" <i>Annu. Rev. Immunol.</i> <b>16</b> :523-544

Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



		Davis, MM et al. (1993), "Topology and Affinity of T-Cell Receptor Mediated Recognition of Peptide-MHC Complexes," <i>Curr. Opin. Immunol.</i> <b>5</b> :45-49.
		de Kruif, J et al. (1996), "Leucine Zipper Dimerized Bivalent and Bispecific scFv Antibodies from a Semi-Synthetic Antibody Phage Display Library;" <i>Amer. Soc. Biochem. Mol. Biol.</i> <b>271</b> (13):7630-7634.
		Deng, SJ et al. (1995), "Basis for Selection of Improved Carbohydrate-Binding Single-Chain Antibodies from Synthetic Gene Libraries;" <i>Proc. Natl. Acad. Sci. USA</i> <b>92</b> :4992-4996.
		Eisen, HN et al. (1996), "Antigen-Specific T-Cell Receptors And Their Reactions With Complexes Formed By Peptides With Major Histocompatibility Complex Proteins" <i>Adv. Protein Chem.</i> <b>49</b> :1-56.
		Engel, I et al. (1988), "Site-Directed Mutations in the VDJ Junctional Region of a T-Cell Receptor Chain Cause Changes in Antigenic Peptide Recognition;" <i>Cell</i> <b>54</b> :473-484.
		Engel, I et al. (1992), "High-Efficiency Expression and Solubilization of Functional T-Cell Antigen Receptor Heterodimers;" <i>Science</i> <b>256</b> :1318-1321.
		Faber, KN et al. (1995), "Review: Methylophilic Yeasts as Factories for the Production of Foreign Proteins;" <i>Yeast</i> <b>11</b> :1331-1344.
		Fong, L et al. (July 2001), "Altered Peptide Ligand Vaccination with Flt3 Ligand Expanded Dendritic Cells for Tumor Immunotherapy;" <i>Proc. Natl. Acad. Sci. USA</i> <b>98</b> (15):8809-8814.
		Foote, J et al. (Sept. 2000) "Breaking the Affinity Ceiling for Antibodies and T-Cell Receptors;" <i>Proc. Natl. Acad. Sci. USA</i> <b>97</b> (20):10679-10681.
		Fremont, D et al. (1996), "Biophysical Studies of T-Cell Receptors and Their Ligands;" <i>Curr. Opin. Immunol.</i> <b>8</b> :93-100.
		Furukawa, K et al. (Sept. 1999), "Junctional Amino Acids Determine the Maturation Pathway of an Antibody;" <i>Immunity</i> <b>11</b> :329-338.
		Ganju, RK et al. (1992), "Similarity Between Fluorescein-Specific T-Cell Receptor and Antibody in Chemical Details of Antigen Recognition;" <i>Proc. Natl. Acad. Sci. USA</i> <b>89</b> :11552-11556.
		Garcia, KC et al. (1996) "An $\alpha\beta$ T-Cell Receptor Structure at 2.5 Å and Its Orientation in the TCR-MHC Complex;" <i>Science</i> <b>274</b> :209-219.
		Garcia, KC et al. (1996), "CD8 Enhances Formation of Stable T-Cell Receptor/MHC Class I Molecule Complexes;" <i>Nature</i> <b>384</b> :577-581.
		Garcia, KC et al. (1997), " $\alpha\beta$ T-Cell Receptor Interactions with Syngeneic and Allogeneic Ligands: Affinity Measurements and Crystallization;" <i>Proc. Natl. Acad. Sci. USA</i> <b>94</b> :13838-13843.



Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2000

APPLICANT Kranz et al.

GROUP 1646



RECEIVED  
JUN 03 2003  
TECH CENTER 1600/2900

		Garcia, KC et al. (1998), "Structural Basis of Plasticity in T-Cell Receptor Recognition of a Self Peptide-MHC Antigen;" <i>Science</i> <b>279</b> :1166-1172.
		Gascoigne, NR et al. (1987), "Secretion of a Chimeric T-Cell Receptor-ImmunoGlobulin Protein;" <i>Proc. Natl. Acad. Sci. USA</i> <b>84</b> :2936-2940.
		Gascoigne, N.R.J. et al. (1991), "Direct Binding of Secreted T-Cell Receptor Chain to Superantigen Associated with Class II Major Histocompatibility Complex Protein;" <i>Proc. Natl. Acad. Sci. USA</i> <b>88</b> :613-616.
		Gellissen, G et al. (1992), "Progress in Developing Methylotrophic Yeasts as Expression Systems;" <i>TIBTECH</i> <b>10</b> :413-417.
		Gietz, RD et al. (1995), "Studies on the Transformation of Intact Yeast Cells by the LiAc/SS-DNA/PEG Procedure;" <i>Yeast</i> <b>11</b> :355-360.
		Griffin, MD et al. (Feb. 2001), "Development and Applications of Surface-Lined Single Chain Antibodies Against T-Cell Antigens;" <i>J. Immunol. Methods</i> <b>248</b> :77-90.
		Hare, BJ et al. (1999), "Structure, Specificity and CDR Mobility of a Class II Restricted Single-Chain T-Cell Receptor;" <i>Nat. Struct. Biol.</i> <b>6</b> :574-581.
		Haskins, K (1984), "The Antigen-Specific Major Histocompatibility Complex-Restricted Receptor on T-Cells VI. An Antibody to a Receptor Allotype;" <i>J. Exp. Med.</i> <b>160</b> :452-471.
		Hawkins, RE et al. (1992), "Selection of Phage Antibodies by Binding Affinity Mimicking Affinity Maturation;" <i>J. Mol. Biol.</i> <b>226</b> :889-896.
		Hawkins, RE et al. (1993), "The Contribution of Contact and Non-Contact Residues of Antibody in the Affinity of Binding to Antigen;" <i>J. Mol. Biol.</i> <b>234</b> :958-964.
		Herrman, T et al. (1991) "T-Cell Recognition of Superantigens;" <i>Current Topics Micro. Immunol.</i> <b>174</b> :22-51.
		Hilyard, KL et al. (1994), "Binding of Soluble Natural Ligands to a Soluble Human T-Cell Receptor Fragment Produced in Escherichia Coli;" <i>Pro. Natl. Acad. Sci. USA</i> <b>91</b> :9057-9061.
		Holler, PD et al. (May 2000), "In Vitro Evolution of a T-Cell Receptor with High Affinity for Peptide/MHC;" <i>Proc. Natl. Acad. Sci. USA</i> <b>97</b> (10):5387-5392.
		Holler, PD, et al. (Oct. 2001), "CD8- T-Cell Transfectants that Express a High Affinity T-Cell Receptor Exhibit Enhanced Peptide-Dependent Activation;" <i>J. Exp. Med.</i> <b>194</b> :1043-1052.

Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 11, 2001

APPLICANT Kranz et al.

GROUP 1646



			Hoogenboom, HR, (1997), "Designing and Optimizing Library Selection Strategies for Generating High-Affinity Antibodies;" <i>Trends Biotechnol.</i> <b>15</b> :62-70.
			Huse, WD et al. (1989), "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda;" <i>Science</i> <b>246</b> :1275-1281.
			Jorgensen, JL et al. (1992), "Mapping T-Cell Receptor-Peptide Contacts by Variant Peptide Immunization of Single-Chain Transgenics;" <i>Nature</i> <b>355</b> :224-230.
			Jung, S et al. (1997), "Improving <i>in vivo</i> Folding and Stability of a Single-Chain Fv Antibody Fragment by Loop Grafting;" <i>Protein Eng.</i> <b>10</b> (8):959-966.
			Kang, X et al. (1997), "Induction of Melanoma Reactive T Cells by Stimulator Cells Expressing Melanoma Epitope-Major Histocompatibility Complex Class I Fusion Proteins;" <i>Cancer Res.</i> <b>57</b> :202-205.
			Kappler, J et al. (1994), "Binding of a Soluble a T-Cell Receptor to Superantigen/Major Histocompatibility Complex Ligands;" <i>Proc. Natl. Acad. Sci. USA</i> <b>91</b> :8462-8466.
			Kasibhatla, S et al. (1993), "Simultaneous Involvement of all Six Predicted Antigen Binding Loops of the T-Cell Receptor in Recognition of the MhC/Antigenic Peptide Complex;" <i>J. Immunol.</i> <b>151</b> :3140-3151.
			Katayama, CD et al. (1995), "Predicted Complementarity Determining Regions of the T-Cell Antigen Receptor Determine Antigen Specificity;" <i>EMBO Journal</i> <b>14</b> :927-938.
			Kieke, MC et al. (Apr. 2001), "High Affinity T-Cell Receptors from Yeast Display Libraries Block T-Cell Activation by Superantigens;" <i>J. Mol. Biol.</i> <b>307</b> :1305-1315.
			Kieke, MC et al. (May 1999), "Selection of Functional T-Cell Receptor Mutants from a Yeast Surface-Display Library;" <i>Proc. Natl. Acad. Sci. USA</i> <b>96</b> (10):5651-5656.
			Kieke, MC et al. (1997), "Isolation of Anti-T-Cell Receptor scFv Mutants by Yeast Surface Display;" <i>Protein Eng.</i> <b>10</b> (11):1303-1310.
			Kipriyanov, S M et al. (1997), "Two Amino Acid Mutations in an Anti-human CD3 Single Chain Fv Antibody Fragment that Affect the Yield on Bacterial Secretion but not the Affinity;" <i>Protein Eng.</i> <b>10</b> (4):445-453.
			Klis, FM (1994), "Review: Cell Wall Assembly in Yeast;" <i>Yeast</i> <b>10</b> :851-869.
			Knappik, A et al. (1995), "Engineered Turns of a Recombinant Antibody Improve its <i>in vivo</i> Folding;" <i>Protein Eng.</i> <b>8</b> (1):81-89.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 19, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED  
JUN 03 2003  
TECH CENTER 1600/2800

		Kowalski, JM et al. (1998), "Secretion Efficiency in <i>Saccharomyces Cerevisiae</i> of Bovine Pancreatic Trypsin Inhibitor Mutants Lacking Disulfide Bonds is Correlated with Thermodynamic Stability;" <i>Biochemistry</i> 37(5):1264-1273.
		Kowalski, JM et al. (July 1998), "Protein Folding Stability can Determine the Efficiency of Escape from Endoplasmic Reticulum Quality Control;" <i>J. Biol. Chem.</i> 273(31):19453-19458.
		Kurucz, I et al. (1993), "A Baterially Expressed Single-Chain Fv Construct From the 23B4 T-Cell Receptor;" <i>Proc. Natl. Acad. Sci. USA</i> 90:3830-3834.
		Letourneur, F et al. (1989), "Derivation of a T-Cell Hybridoma Variant Deprived of Functional T-Cell Receptor a and b Chain Transcripts Reveals a Nonfunctional a-mRNA of BW5147 Origin;" <i>Eur. J. Immunol.</i> 19(12):2269-2274.
		Lie, W-R. et al. (1990), "Peptide Ligand-Induced Conformation and Surface Expression of the Ld Class I MHC Molecule;" <i>Nature</i> 344:349-441.
		Lipke, P et al. (1992), "Sexual Agglutination in Budding Yeasts: Structure, Function, and Regulation of Adhesion Glycoproteins;" <i>Microbiological Reviews</i> pp. 80-194.
		Liu, C-P et al. (Dec.19, 2000), "Detection of glutamic acid decarboxylase-activated T cells with I-A <sup>g7</sup> tetramers;" <i>Proc. Natl. Acad. Sci. USA</i> 97(26):14596-14601.
		Lyons, D et al. (1996), "A TCR Binds to Antagonist Ligands with Lower Affinities and Faster Dissociation Rates Than to Agonists;" <i>Immunity</i> 5:53-61.
		Maile, R et al. (2001), "Antigen-Specific Modulation of an Immune Response by <i>In Vivo</i> Administration of Soluble MHC Class I Tetramers;" <i>J. Immunology</i> 167:3708-3716.
		Malchiodi, EL (1995), "Superantigen Binding to a T-Cell Recptor Chain of Known Three-Dimensional Structure;" <i>J. Exp. Med.</i> 182:1833-1845.
		Manning, T C et al. (Feb. 1998), "Alanine Scanning Mutagenesis of an T-Cell Receptor: Mapping the Energy of Antigen Recognition;" <i>Immunity</i> 8:413-425.
		Manning, et al. (1999), "Effects of Complementarity Determining Region Mutations on the Affinity of Alpha/Beta T-Cell Receptor: Measuring the Energy Associated with CD4/CD8 Repertoire Skewing;" <i>J. Exp. Med.</i> 189(3):461-470.
		Margulies, DH (1996), "An Affinity for Learning," <i>Nature</i> 381:558-559.

Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2000

APPLICANT Kranz et al.

GROUP 1646



		Marks, JD et al. (1992), "Molecular Evolution of Proteins on Filamentous Phage;" <i>J. Biol. Chem.</i> <b>267</b> (23):16007-16010.
		Marks, JD et al. (1991), "By-passing Immunization. Human Antibodies from V-gene Libraries Displayed on Phage;" <i>J. Mol. Biol.</i> <b>222</b> :581-597.
		Martineau, P et al. (1998), "Expression of an Antibody Fragment at High Levels in the Bacterial Cytoplasm;" <i>J. Mol. Biol.</i> <b>280</b> (1):117-127.
		Marx, J (1995), "The T-Cell Receptor Begins to Reveal Its Many Facets;" <i>Science</i> <b>267</b> :459-460.
		Matsui, K et al. (1994), "Kinetics of T-Cell Receptor Binding to Peptide/I-Ek Complexes; Correlation of the Dissociation Rate with T-Cell Responsiveness;" <i>Proc. Natl. Acad. Sci. USA</i> <b>91</b> :12862-12866.
		Matsui, et al. (1991), "Low Affinity Interaction of Peptide-MHC Complexes with T-Cell Receptors;" <i>Science</i> <b>254</b> :1788-1791.
		McCafferty, J et al. (1990), "Phage Antibodies: Filamentous Phage Displaying Antibody Variable Domains;" <i>Nature</i> <b>348</b> :552-554.
		Meyer, AL et al. (Oct. 2000), "Direct enumeration of <i>Borrelia</i> -reactive CD4 T cells <i>ex vivo</i> by using MHC class II tetramers;" <i>Proc. Natl. Acad. Sci. USA</i> <b>97</b> (21):11433-11438.
		Nieba, L et al. (1997), "Disrupting the Hydrophobic Patches at the Antibody Variable/Constant Domain Interface: Improved <i>in vivo</i> Folding and Physical Characterization of an Engineered scFv Fragment;" <i>Protein Eng.</i> <b>10</b> (4):435-444.
		Novotny, J et al. (1991), "A Soluble, Single-Chain T-Cell Receptor Fragment Endowed with Antigen-Combining Properties;" <i>Proc. Natl. Acad. Sci. USA</i> <b>88</b> :8646-8650.
		O'Herrin, SM et al. (1997), "Analysis of the Expression of Peptide-Major Histocompatibility Complexes Using High Affinity Soluble Divalent T-Cell Receptors;" <i>J. Exp. Med.</i> <b>186</b> :1333-1345.
		O'Herrin, SM et al. (Sept. 2001) "Antigen-Specific Blockade of T Cells <i>In Vivo</i> Using Dimeric MHC Peptide;" <i>J. Immunology</i> <b>167</b> :2555-2560.
		Patten, PA et al. (1993), "Transfer of Putative Complementarity-Determining Region Loops of T-Cell Receptor V Domains Confers Toxin Reactivity but not Peptide/MHC Specificity;" <i>J. Immunol.</i> <b>150</b> :228-229.
		Pullen, AM et al. (1991), "Analysis of the Interaction Site for the Self Superantigen Mls-1a on T-Cell Receptor V;" <i>J. Exp. Med.</i> <b>173</b> :1183-1192.



Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 12, 2001


APPLICANT Kranz et al.

GROUP 1646



		Rabinowitz, et al. (1996), "Kinetic Discrimination in T-Cell Activation;" <i>Proc. Natl. Acad. Sci. USA</i> <b>93</b> :1401-1405.
		Radu, CG et al. (Nov. 2000), "Detection of autoreactive T cells in H-2 <sup>m</sup> mice using peptide-MHC multimers;" <i>Int. Immunol.</i> <b>12</b> (11):1553-1560.
		Reich, et al. (1997), "Ligand-Specific Oligomerization of T-Cell Receptor Molecules;" <i>Nature</i> <b>387</b> :617-620.
		Reiter, Y et al. (1995), "Construction of a Functional Disulfide-Stabilized TCRC Fv Indicates that Antibody and TCR Fv Frameworks are very Similar in Structure;" <i>Immunity</i> <b>2</b> (3):281-287.
		Ridder, R et al. (1995), "Generation of Rabbit Monoclonal Antibody Fragments from a Combinatorial Phage Display Library and Their Production in the Yeast <i>Pichia pastoris</i> ;" <i>Bio/Technol.</i> <b>13</b> :255-259.
		Romanos, M (1995), "Advances in the Use of <i>Pichia pastoris</i> for High-Level Gene Expression;" <i>Curr. Opinion in Biotechnol.</i> <b>6</b> :527-533.
		Sant'Angelo, DB et al. (1996), "The Specificity and Orientation of a TCR to its Peptide-MHC Class II Ligands;" <i>Immunity</i> <b>4</b> :367-376.
		Schlueter, CJ et al. (1996), "A Residue in the Center of Peptide QL9 Affects Binding to Both Ld and the T-Cell Receptor1;" <i>J. Immunol.</i> <b>157</b> :4478-4485.
		Schlueter, et al. (1996), "Specificity and Binding Properties of a Single-Chain T-Cell Receptor;" <i>J. Mol. Biol.</i> <b>256</b> :859-869.
		Schneck, J et al. (1989), "Inhibition of an Allospecific T-Cell Hybridoma by Soluble Class I Proteins and Peptides: Estimation of the Affinity of a T-Cell Receptor for MHC;" <i>Cell</i> <b>56</b> :47-55.
		Schodin, BA et al. (1993), "Binding Affinity and Inhibitory Properties of a Single-Chain Anti-T Cell Receptor Antibody;" <i>J. Biol. Chem.</i> <b>268</b> (34):25722-25727.
		Schodin, BA et al. (1996) "Binding Properties and Solubility of Single-Chain T-Cell Receptors Expressed in <i>E. Coli</i> ;" <i>Mol. Immun.</i> <b>33</b> (9):819-829.
		Schreuder, et al. (1996), "Immobilizing Proteins on the Surface of Yeast Cells;" <i>TIBTECH</i> <b>14</b> :115-120.
		Seibel, JL et al. (1997), "Influence of the NH2-Terminal Amino Acid of the T-Cell Receptor Chain on Major Histocompatibility Complex (MHC) Class II + Peptide Recognition;" <i>J. Exp. Med.</i> <b>185</b> (11):1919-1927.
		Seth, A et al. (1994), "Binary and Ternary Complexes Between T-Cell Receptor, Class II MHC and Superantigen <i>in vitro</i> ;" <i>Nature</i> <b>369</b> :324-327.

Form PTO-1449		
ATTY DOCKET NO. 103-00	SERIAL NO. 10/015,536	FILING DATE December 10, 2001
APPLICANT Kranz et al.		GROUP 1646



		Sheets, MD et al. (1998), "Efficient Construction of a Large Nonimmune Phage Antibody Library: The Production of High-Affinity Human Single-Chain Antibodies to Protein Antigens;" <i>Cell Biology</i> <b>95</b> (11):6157-6162.
		Shusta, EV et al. (Apr. 1999), "Biosynthetic Polypeptide Libraries;" <i>Curr. Opin. Biotechnol.</i> <b>10</b> :117-122.
		Shusta, EV et al. (Oct. 1999), "Yeast Polypeptide Fusion Surface Display Levels Predict Thermal Stability and Soluble Secretion Efficiency;" <i>J. Mol. Biol.</i> <b>292</b> :949-956.
		Slanetz, AE et al. (1991), "Heterodimeric, Disulfide-linked $\alpha$ / $\beta$ T-Cell Receptors in Solution;" <i>Eur. J. Immunol.</i> <b>21</b> :179-183.
		Slansky, JE et al. (Oct. 2000), "Enhanced Antigen-Specific Antitumor Immunity with Altered Peptide Ligands that Stabilize the MHC-Peptide-TCR Complex;" <i>Immunity</i> <b>13</b> :529-538.
		Soo Hoo, WF et al. (1992), "Characterization of a Single-Chain T-Cell Receptor Expressed in Escherichia Coli;" <i>Proc. Natl. Acad. Sci. USA</i> <b>89</b> :4759-4763.
		Speir, JA et al. (1998), "Structural Basis of 2C TCR Allorecognition of H-2Ld Peptide Complexes;" <i>Immunity</i> <b>8</b> :553-562.
		Sudbery, PE (1994), "The Non-Saccharomyces Yeasts;" <i>Yeast</i> <b>10</b> :1707-1726.
		Sykulev, Y et al. (1994), "Kinetics and Affinity of Reactions between an Antigen-Specific T Cell Receptor and Peptide-MHC Complexes;" <i>Immunity</i> <b>1</b> :15-22.
		Sykulev, Y et al. (1994), "High-Affinity Reactions Between Antigen-Specific T-Cell Receptors and Peptides Associated with Allogeneic and Syngeneic Major Histocompatibility Complex Class I Proteins;" <i>Proc. Natl. Acad. Sci. USA</i> <b>91</b> :11487-11491.
		Sykulev, Y et al. (1995) "The Law of Mass Action Governs Antigen-Stimulated Cytolytic Activity of CD8+ Cytotoxic T Lymphocytes;" <i>Proc. Natl. Acad. Sci. USA</i> <b>92</b> :11990-11992.
		Tjoa, BA et al. (1992) "Diversity of T-Cell Receptor- $\alpha$ Chain Transcripts from Hyperimmune Alloreactive T-Cells;" <i>J. Immunol (United States)</i> <b>149</b> (1)253-259.
		Tjoa, BA et al., (1994), "Generation of Cytotoxic T-Lymphocytes to a Self-Peptide/Class I Complex: A Model for Peptide-Medicated Tumor Rejection;" <i>Cancer Res.</i> <b>54</b> :204-208.
		Udaka, K et al. (1993), "A Ubiquitous Protein is the Source of Naturally Occurring Peptides that are Recognized by a CD8+ T-Cell Clone;" <i>Proc. Natl. Acad. Sci. USA</i> <b>90</b> :11272-11276.

Form PTO-1449


ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



RECEIVED

TECH CENTER 1600/2000

		Ulrich, et al. (1995), "Expression Studies of Catalytic Antibodies;" <i>Proc. Natl. Acad. Sci. USA</i> <b>92</b> :11907-11911.
		Van Antwerp, JJ et al. (2000), "Fine Affinity Discrimination by Yeast Surface Display and Flow Cytometry;" <i>Biotechnol. Prof.</i> <b>16</b> :31-37.
		Van der Vaart, M (1965), "Identification and Characterization of Cell Wall Proteins of <i>Saccharomyces cerevisiae</i> ;" Thesis, ISBN 90-393-1498-5 pp.1-138.
		Valitutti, S et al. (1995), "Serial Triggering of Many T-Cell Receptors by a Few Peptide-MHC Complexes;" <i>Nature</i> <b>375</b> :148-151.
		Ward, ES (1991), "Expression and Secretion of T-Cell Receptor V and V Domains Using <i>Escherichia Coli</i> as a Host;" <i>Scand. J. Immunol.</i> <b>34</b> :215-220.
		Ward, ES (1992), "Secretion of T-Cell Receptor Fragments From Recombinant <i>Escherichia Coli</i> Cells;" <i>J. Mol. Biol.</i> <b>224</b> :885-890.
		Weber, et al. (1992), "Specific Low-Affinity Recognition of Major Histocompatibility Complex Plus Peptide by Soluble T-Cell Receptor;" <i>Nature</i> <b>356</b> :793-796.
		Wedemayer, GJ et al. (1997) "Structural Insights into the Evolution of an Antibody Combining Site;" <i>Science</i> <b>276</b> :1665-1669.
		Weidanz, JA et al. (1998), "Display of Functional Single-Chain T-Cell Receptor Molecules on the Surface of Bacteriophage;" <i>J. Immunol. Meth.</i> <b>221</b> :59-76.
		Wells, J (1991), "Systematic Mutational Analyses of Protein-Protein Interfaces;" <i>Meth. Enzym.</i> <b>202</b> :390-411.
		Willcox, BE et al. (March 1999), "TCR Binding to Peptide-MHC Stabilizes a Flexible Recognition Interface;" <i>Immunity</i> <b>10</b> :357-365.
		Winter, G et al. (1994), "Making Antibodies By Phage Display Technology;" <i>Annu. Rev. Immunol.</i> <b>12</b> :433-455.
		Wittrup, KD (1994), "Existence of Optimum Expression Level for Section of Foreign Proteins in Yeast;" <i>Ann. N.Y. Acad. Sci.</i> <b>745</b> :321-330.
		Wittrup, KD (Nov. 1999), "Phage on Display;" <i>Trends in Biotech.</i> <b>17</b> (11):423-424.
		Wittrup, KD (Oct. 2000), "The Single Cell as a Microplate Well;" <i>Nat. Biotechnol.</i> <b>18</b> :1039-1040.
		Wolfe, MS et al. (1998), "A Substrate-Based Difluoro Ketone Selectively Inhibits Alzheimer's-Secretase Activity;" <i>J. Med. Chem.</i> <b>41</b> :6-9.

Form PTO-1449



ATTY DOCKET NO. 103-00

SERIAL NO. 10/015,536

FILING DATE December 10, 2001

APPLICANT Kranz et al.

GROUP 1646



			Youde, SJ et al. (Jan. 2000), "Use of Fluorogenic Histocompatibility Leukocyte Antigen-A*0201/HPV 16 E7 Peptide Complexes to Isolate Rare Human Cytotoxic T-Lymphocyte-recognizing Endogenous Human Papillomavirus Antigens;" <i>Cancer Research</i> 60:365-371.
			Yoon, ST (1994), "Both High and Low Avidity Antibodies to the T-Cell Receptor can have Agonist or Antagonist Activity;" <i>Immunity</i> 1:563-569.

EXAMINER

DATE CONSIDERED

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

12/20/89